




VENTILACIJA ▸ SPIRO KANALI I FITINZI

KR SAFE — kosa račva 45° sa gumenom zaptivkom

Odvajanje grane pod 45° · brzo zaptivanje gumenom zaptivkom



KR SAFE

OPIS PROIZVODA

KR SAFE je kosa račva za odvajanje bočne grane pod uglom od 45° iz glavnog spiro kanala, u SAFE izvedbi sa ugrađenom gumenom zaptivkom. Ugao od 45° daje blaži prelaz strujanja u granu i manji pad pritiska od centrične račve pod 90°.

Oznaka sadrži prečnik glavnog kanala i prečnik grane (npr. KR SAFE 200 160). Izrađuje se od pocinkovanog čeličnog lima; program pokriva glavne prečnike od 80 do 800 mm.

NAMENA

Odvajanje grane pod 45° iz spiro kanala

ZAPTIVANJE

Ugrađena gumena zaptivka (SAFE)

PREDNOST

Blaži prelaz i manji pad pritiska od račve 90°

MATERIJAL

Pocinkovani čelični lim + guma

SPIRO SISTEM

KOSA RAČVA 45°

SAFE ZAPTIVKA

MANJI PAD PRITISKA

01 Zajedničke karakteristike

- ✓ Odvajanje bočne grane pod 45° — blaži prelaz strujanja
- ✓ Ugrađena gumena zaptivka za vazduhonepropusno spajanje
- ✓ Manji pad pritiska u odnosu na centričnu račvu 90°
- ✓ Pocinkovani čelični lim; glavni prečnici 80 – 800 mm

Napomena: Dužine priključaka i masa po dimenziji date su u izvornom katalogu. Dimenzije su informativnog karaktera; za tačnu specifikaciju i dostupnost kontaktirajte našu prodajnu službu.





VENTILACIJA > SPIRO KANALI I FITINZI > KR SAFE

KR SAFE



KR SAFE

OPIS IZVEDBE

Oznaka sadrži prečnik glavnog kanala i prečnik grane (npr. KR SAFE 200 160). Izrađuje se od pocinkovanog čeličnog lima; program pokriva glavne prečnike od 80 do 800 mm.

NAMENA

Odvajanje grane pod 45° iz spiro kanala

ZAPTIVANJE

Ugrađena gumena zaptivka (SAFE)

PREDNOST

Blaži prelaz i manji pad pritiska od račve 90°

01 Kombinacije prečnika

ŠIFRA	GLAVNI KANAL D1 (MM)	GRANA D2 (MM)
KR SAFE 80 80	80	80
KR SAFE 100 80	100	80
KR SAFE 100 100	100	100
KR SAFE 125 80	125	80
KR SAFE 125 100	125	100
KR SAFE 125 125	125	125
KR SAFE 160 80	160	80
KR SAFE 160 100	160	100
KR SAFE 160 125	160	125
KR SAFE 160 160	160	160
KR SAFE 200 80	200	80
KR SAFE 200 100	200	100
KR SAFE 200 125	200	125
KR SAFE 200 160	200	160
KR SAFE 200 200	200	200
KR SAFE 250 80	250	80
KR SAFE 250 100	250	100
KR SAFE 250 125	250	125
KR SAFE 250 160	250	160
KR SAFE 250 200	250	200
KR SAFE 250 250	250	250





VENTILACIJA > SPIRO KANALI I FITINZI > KR SAFE

02 Kombinacije prečnika (nastavak)

ŠIFRA	GLAVNI KANAL D1 (MM)	GRANA D2 (MM)
KR SAFE 315 80	315	80
KR SAFE 315 100	315	100
KR SAFE 315 125	315	125
KR SAFE 315 160	315	160
KR SAFE 315 200	315	200
KR SAFE 315 250	315	250
KR SAFE 315 315	315	315
KR SAFE 355 80	355	80
KR SAFE 355 100	355	100
KR SAFE 355 125	355	125
KR SAFE 355 160	355	160
KR SAFE 355 200	355	200
KR SAFE 355 250	355	250
KR SAFE 355 315	355	315
KR SAFE 355 355	355	355
KR SAFE 400 80	400	80
KR SAFE 400 100	400	100
KR SAFE 400 125	400	125
KR SAFE 400 160	400	160
KR SAFE 400 200	400	200
KR SAFE 400 250	400	250
KR SAFE 400 315	400	315
KR SAFE 400 355	400	355
KR SAFE 400 400	400	400
KR SAFE 450 80	450	80
KR SAFE 450 100	450	100
KR SAFE 450 125	450	125
KR SAFE 450 160	450	160
KR SAFE 450 200	450	200
KR SAFE 450 250	450	250
KR SAFE 450 315	450	315





VENTILACIJA > SPIRO KANALI I FITINZI > KR SAFE

03 Kombinacije prečnika (nastavak)

ŠIFRA	GLAVNI KANAL D1 (MM)	GRANA D2 (MM)
KR SAFE 450 355	450	355
KR SAFE 450 400	450	400
KR SAFE 450 450	450	450
KR SAFE 500 80	500	80
KR SAFE 500 100	500	100
KR SAFE 500 125	500	125
KR SAFE 500 160	500	160
KR SAFE 500 200	500	200
KR SAFE 500 250	500	250
KR SAFE 500 315	500	315
KR SAFE 500 355	500	355
KR SAFE 500 400	500	400
KR SAFE 500 450	500	450
KR SAFE 500 500	500	500
KR SAFE 560 80	560	80
KR SAFE 560 100	560	100
KR SAFE 560 125	560	125
KR SAFE 560 160	560	160
KR SAFE 560 200	560	200
KR SAFE 560 250	560	250
KR SAFE 560 315	560	315
KR SAFE 560 355	560	355
KR SAFE 560 400	560	400
KR SAFE 560 450	560	450
KR SAFE 560 500	560	500
KR SAFE 560 560	560	560
KR SAFE 630 80	630	80
KR SAFE 630 100	630	100
KR SAFE 630 125	630	125
KR SAFE 630 200	630	200
KR SAFE 630 250	630	250





VENTILACIJA > SPIRO KANALI I FITINZI > KR SAFE

04 Kombinacije prečnika (nastavak)

ŠIFRA	GLAVNI KANAL D1 (MM)	GRANA D2 (MM)
KR SAFE 630 315	630	315
KR SAFE 630 355	630	355
KR SAFE 630 400	630	400
KR SAFE 630 450	630	450
KR SAFE 630 500	630	500
KR SAFE 630 560	630	560
KR SAFE 630 630	630	630
KR SAFE 710 80	710	80
KR SAFE 710 100	710	100
KR SAFE 710 160	710	160
KR SAFE 710 200	710	200
KR SAFE 710 250	710	250
KR SAFE 710 315	710	315
KR SAFE 710 35 5	710	35 5
KR SAFE 710 400	710	400
KR SAFE 710 450	710	450
KR SAFE 710 500	710	500
KR SAFE 710 560	710	560
KR SAFE 710 630	710	630
KR SAFE 710 710	710	710
KR SAFE 800 80	800	80
KR SAFE 800 100	800	100
KR SAFE 800 125	800	125
KR SAFE 800 160	800	160
KR SAFE 800 200	800	200
KR SAFE 800 250	800	250
KR SAFE 800 315	800	315
KR SAFE 800 355	800	355
KR SAFE 800 400	800	400
KR SAFE 800 450	800	450
KR SAFE 800 500	800	500





VENTILACIJA > SPIRO KANALI I FITINZI > KR SAFE

05 Kombinacije prečnika (nastavak)

ŠIFRA	GLAVNI KANAL D1 (MM)	GRANA D2 (MM)
KR SAFE 800 560	800	560
KR SAFE 800 630	800	630
KR SAFE 800 710	800	710
KR SAFE 800 800	800	800

